

MAINTENANCE FREE BATTERIES 8-YEAR BATTERY WARRANTY UNBEATABLE ENERGY EFFICIENCY

Call us! (714) 847-7673



EFFORTLESS ADVENTURES.

It's time to immerse yourself in the big, amazing world all around you with the Express S4 ELiTE. Powered by a proven, maintenance-free Samsung SDI lithium battery system, the Express S4 ELiTE will propel your next adventure with an incredibly energy efficient ride, and the ability to opportunity charge on the fly. Because the Express S4 ELiTE has technology like no other, it is backed by an unprecedented 8-year battery warranty, meaning your only worry will be forgetting the cooler.

TECHNOLOGY LIKE NO OTHER

- · Zero-Maintenance Batteries
- · Unprecedented, Industry Leading 8-Year Warranty
- · Proven Technology w/ Samsung SDI Lithium Batteries
- Effortless Energy Efficiency
- · Unbeatable Performance
- Eco-Friendly Technology

KEY FEATURES

- · 23-in Desert Eagle Tires
- · Front Brush Guard
- Fold-Down Cargo Deck
- Headlights
- · Horn
- Cupholders
- Dashboard Storage Pockets
- · Headlights, Taillights and Brake Lights
- · Dual USB Ports
- Premium Steering Wheel

DIMENSIONS

OVERALL LENGTH	116 in. (295 cm)
OVERALL WIDTH	48.5 in (123 cm)
OVERALL HEIGHT (W/O ROOF)	52.5 in (133 cm)
OVERALL HEIGHT (W/ ROOF)	82 in (208 cm)
WHEEL BASE	65.5 in (166 cm)
FRONT WHEEL TRACK	38.0 in (97 cm)
REAR WHEEL TRACK	38.5 in (98 cm)
GROUND CLEARANCE © DIFFERENTIAL	7 in (18 cm)

POWER

POWER SOURCE	56 Volt AC
MOTOR TYPE	56 Volt AC
HORSEPOWER (KW)	11.7 HP (8.7 kW) Peak
ELECTRICAL SYSTEM	56 Volt
BATTERIES (TYPE)	Two Lithium Ion 56 Volt
KEY OR PEDAL START	Pedal
BATTERY CHARGER	56VDC, 120/230 VAC, UL/CSA, CE
SPEED CONTROLLER	235 Amp AC
DRIVETRAIN	Motor Shaft Direct Drive
TRANSAXLE	Differential with Helical Gears
GEAR SELECTION	Dash Mounted Forward-Neutral-Reverse
REAR AXLE RATIO	17:1

PERFORMANCE

SEATING CAPACITY	4-Passenger
DRY WEIGHT	932 lb (423 Kg)
CURB WEIGHT	996 lb (452 Kg)
VEHICLE LOAD CAPACITY	800 lb (360 kg)
OUTSIDE CLEARANCE CIRCLE	20.3 ft (7.1 m)
SPEED (LEVEL GROUND)	17.0 mph ± 0.5 mph (27.4 kph ± 0.8 kph)

STEERING & SUSPENSION

STEERING	Self-Compensating Rack and Pinion
SUSPENSION	Leaf Springs with Hydraulic Shock Absorbers
SERVICE BRAKE	Rear Wheel Mechanical Self-Adjusting Drum
PARKING BRAKE	Self-Compensating, Single Point Engagement
TIRES	Desert Eagle 23 x 10 - 14 on Alloy Wheel

BODY & CHASSIS

FRAME	Welded Steel with Powder-Coat Protection
BODY & FINISH	Injection Molded TPO
AVAILABLE BODY COLORS	Almond, Black, Electric Blue, Flame Red, Inferno Red, Metallic Charcoal, Ocean Grey, Platinum, White
AVAILABLE SEAT COLORS	Gray, Oyster, Tan, Black




























Electric Blue Flame Red Inferno Red

Charcoal











SAY GOODBYE TO ORDINARY.

Every hour is an opportunity to live your life to the fullest, and the E-Z-GO® Express S4 ensures you're doing just that. The Express S4 has a rear seat that converts to a cargo deck, allowing you to host or haul more. Choose from E-Z-GO's exclusive 72-volt AC powertrain that offers you unrivaled enjoyment and power, or an energy efficient 13.5 hp closed-loop EFI gas powertrain. No matter what you choose, you'll always stand out of the crowd with the Express S4.

KEY FEATURES

- · 23-in Desert Eagle Tires
- · Front Brush Guard
- Fold-Down Cargo Deck
- · Headlights, Taillights and Brake Lights
- · Dual USB Ports
- · Horn
- · Cupholders
- Dashboard Storage Pockets
- Premium Steering Wheel
- State of Charge Meter (Electric Only)
- DC/DC Converter (Electric Only)
- 72-Volt Battery Charger (Electric Only)
- Fuel Gauge (Gas Only)
- · Low Oil Indicator (Gas Only)

ELECTRIC

GAS

DIMENSIONS		
OVERALL LENGTH	118 in. (300 cm)	
OVERALL WIDTH	48.5 in (123 cm)	
OVERALL HEIGHT (W/O ROOF)	52.5 in (133 cm)	
OVERALL HEIGHT (W/ ROOF)	82 in (208 cm)	
WHEEL BASE	65.5 in (166 cm)	
FRONT WHEEL TRACK	38.0 in (97 cm)	
REAR WHEEL TRACK	38.5 in (98 cm)	
GROUND CLEARANCE © DIFFERENTIAL	7 in (18 cm)	

POWER

POWER SOURCE	72 Volts AC	4 Cycle 24.5 cu in (401 cc)
VALVE TRAIN	N/A	Single Cylinder OHV
MOTOR TYPE	AC Induction	N/A
FUEL SYSTEM	N/A	Closed-Loop Electronic Fuel Injection
HORSEPOWER (KW)	22.4 hp (16.7 kW) Peak	13.5 hp (10.1 kW) Exceeds SAE J1940 Std
ELECTRICAL SYSTEM	72 Volt	Starter/Generator - Solid State Regulator
BATTERIES (QTY/TYPE)	Six, 12 Volt Deep Cycle	One, 12 Volt Maintenance Free
KEY OR PEDAL START	Pedal	
AIR CLEANER	N/A	Replaceable Dry Cartridge
LUBRICATION	N/A	Pressurized Oil System
OIL FILTER	N/A	Spin-On
COOLING SYSTEM	N/A	Air Cooled
FUEL CAPACITY	N/A	5.96 Gallon (22.6 L) Tank
BATTERY CHARGER	72 VDC Delta Q, 120/230 VAC, UL & CSA	N/A
SPEED CONTROLLER	350 Amp AC	N/A
DRIVETRAIN	Motor Shaft Direct Drive	Continuously Variable Transmission (CVT)
TRANSAXLE	Differential with Helical Gears	
GEAR SELECTION	Dash Mounted Forward-Neutral-Reverse	

PERFORMANCE

REAR AXLE RATIO

SEATING CAPACITY	4-Passenger	
DRY WEIGHT	968 lb (439kg)	870 lb (395 kg)
CURB WEIGHT	1460 lb (662kg) Trojan T-1275	910 lb (413 kg)
VEHICLE LOAD CAPACITY	800 lb	(360 kg)
OUTSIDE CLEARANCE CIRCLE	19 ft. (5.8 m)	
SPEED (LEVEL GROUND)	19.5 mph ± 0.5 mph (31.4 kph ± 0.8 kph)	17.0 mph ± 0.5 mph (27.4 kph ± 0.8 kph)

17:1

STEERING & SUSPENSION

STEERING	Self-Compensating Rack and Pinion
SUSPENSION	Leaf Springs with Hydraulic Shock Absorbers
SERVICE BRAKE	Rear Wheel Mechanical Self-Adjusting Drum
PARKING BRAKE	Self-Compensating, Single Point Engagement
TIRES	Desert Eagle 23 x 10 - 14 on Alloy Wheel

BODY & CHASSIS

100 CONTROL OF THE PROPERTY OF	
FRAME	Welded Steel with Powder-Coat Protection
BODY & FINISH	Injection Molded TPO
AVAILABLE BODY COLORS	Almond, Black, Electric Blue, Flame Red, Inferno Red, Metallic Charcoal, Ocean Grey, Platinum, White
AVAILABLE SEAT COLORS	Gray, Oyster, Tan, Black






















11.47:1 (Forward); 14.35:1 (Reverse)







Platinum