

MAINTENANCE FREE BATTERIES 8-YEAR BATTERY WARRANTY UNBEATABLE ENERGY EFFICIENCY

Call us! (714) 847-7673

FREEDOM® RXV® ELITE™



ELITE

EXPERIENCE MORE WITH TECHNOLOGY LIKE NO OTHER.

The Freedom RXV ELiTE is the industry's best when it comes to highly efficient, maintenance-free, lithium battery power. Now with an unprecedented, 8-year warranty, your only worry is choosing where to go next. Choose between a 2.0, 3.0 or 4.0 Samsung SDI lithium ion battery pack for unparalleled performance and lifespan. Amazing is all around you, the Freedom RXV ELiTE gives you technology like no other to discover it.

TECHNOLOGY LIKE NO OTHER

- · Zero-Maintenance Batteries
- · Unprecedented, Industry Leading 8-Year Warranty
- Proven Technology w/ Samsung SDI Lithium Batteries
- Effortless Energy Efficiency
- Unbeatable Performance
- · Eco-Friendly Technology

KEY FEATURES

- 18 Inch Turf Tires
- · Automatic Parking Brake with Advanced IntelliBrake™ Technology
- · Headlights, Taillights & Brake Lights
- · Horn
- Integrated Storage Basket
- · Energy Transfer Bumpers
- Fuel Gauge (Gas Only)
- State of Charge Meter (Electric Only)
- DC/DC Converter (Electric Only)
- 48-Volt Battery Charger (Electric Only)
- Newly designed dash with large cupholders
- Comfortable, Contoured Seats
- Oversized Bag Well
- · USB Port

DIMENSIONS

The state of the s		
OVERALL LENGTH	94.5 in (240 cm)	
OVERALL WIDTH	47.0 in (119 cm)	
OVERALL HEIGHT (W/O ROOF)	45.7in (116 cm)	
OVERALL HEIGHT (W/ ROOF)	68.5 in (174 cm)	
WHEEL BASE	65.7 in (167 cm)	
FRONT WHEEL TRACK	35.5 in (90 cm)	
REAR WHEEL TRACK	38.0 in (97 cm)	
GROUND CLEARANCE © DIFFERENTIAL	3.3 in (8 cm)	

POWER

POWER SOURCE	56-Volt DC	
MOTOR TYPE	48 Volt AC	
HORSEPOWER (KW)	4.4 hp (3.3 kW) Continuous	
ELECTRICAL SYSTEM	56-Volt	
BATTERIES (TYPE)	Two, 56V Lithium ELiTE	
KEY OR PEDAL START	Pedal	
BATTERY CHARGER	Lithium World Charger 56VDC (11 ft., 18 ft.) Cord	
SPEED CONTROLLER	235-amp AC Controller	
DRIVETRAIN	Motor Shaft Direct Drive	
TRANSAXLE	Limited Slip Differential	
GEAR SELECTION	Forward-Neutral-Reverse Integrated	
REAR AXLE RATIO	16.99:1	
KEY SWITCH	Into Key Switch	
PROGRAMMABLE GOLF MODES	Unique Group, Unique Individual	

PERFORMANCE

SEATING CAPACITY	2-Passenger
DRY WEIGHT	605 lb (274.4 kg)
CURB WEIGHT	655 lb (297.1 kg)
VEHICLE LOAD CAPACITY	800 lb (360 kg)
OUTSIDE CLEARANCE CIRCLE	19.2 ft (5.8 m)
SPEED (LEVEL GROUND)	17.5-19.5 mph (28-31 kph)
TOWING CAPACITY	Three E-Z-GO Golf Cars with Approved Permanent Tow Bar

STEERING & SUSPENSION

STEERING	Double-Ended Rack and Pinion	
SUSPENSION	Front: Independent A-Arm Coil-Over Shock; Rear: Mono-Leaf Spring With Hydraulic Shocks	
SERVICE BRAKE	Induction Motor	
PARKING BRAKE	Automatic Electro-Magnetic	
TIRES	18 x 8.50-8 (4-ply rated)	

BODY & CHASSIS

FRAME	Welded Steel with Powder-Coat Protection	
BODY & FINISH	Injection Molded TPO	
AVAILABLE BODY COLORS	Almond, Black, Electric Blue, Flame Red, Inferno Red, Metallic Charcoal, Ocean Grey, Platinum, White	
AVAILABLE SEAT COLORS	Stone Beige, Black, Ovster	




























Black

Electric Blue Flame Red Inferno Red

FREEDOM® RXV®





GAS

N/A

IGNITE EVERY ONE DIMENSIONS OF YOUR SENSES.

Say goodbye to ordinary. The E-Z-GO® Freedom RXV is designed to help you live larger. Choose between the electric model's patented 48-volt AC drive with automatic parking brake or the lowemission, 13.5-HP gas engine with a closed-loop EFI. You've earned an incredible life, let the Freedom RXV get you there.

KEY FEATURES

- 18 Inch Turf Tires
- Automatic Parking Brake with Advanced IntelliBrake™ Technology
- · Headlights, Taillights & Brake Lights
- · Horn
- Integrated Storage Basket
- · Energy Transfer Bumpers
- Fuel Gauge (Gas Only)
- State of Charge Meter (Electric Only)
- DC/DC Converter (Electric Only)
- 48-Volt Battery Charger (Electric Only)
- Newly designed dash with large cupholders
- · Comfortable, Contoured Seats
- Oversized Bag Well
- · USB Port

OVERALL LENGTH 94.5 in (240 cm) **OVERALL WIDTH** 47.0 in (119 cm) 45.7in (116 cm) OVERALL HEIGHT (W/O ROOF) 68.5 in (174 cm) OVERALL HEIGHT (W/ ROOF)

65.7 in (167 cm)

ELECTRIC

FRONT WHEEL TRACK 35.5 in (90 cm) 38.0 in (97 cm) REAR WHEEL TRACK **GROUND CLEARANCE** 3.3 in (8 cm)

POWER

WHEEL BASE

@ DIFFERENTIAL

POWER SOURCE	48-Volt AC	4-Cycle, 24.5 cu in (401 cc)	
HORSEPOWER (KW)	4.4 hp (3.3 kW) Continuous	13.5-HP (10.1 kW) J1940 Standard	
ELECTRICAL SYSTEM	48-Volt	Starter/Generator, Solid State Regulator	
BATTERIES (TYPE)	Four, 12 Volt Deep Cycle	One, 12-Volt Maintenance-Free	
KEY OR PEDAL START	Per	Pedal	
BATTERY CHARGER	Lead Acid Charger: SC-48 (3.0 M) DC Cord	N/A	
SPEED CONTROLLER	235-amp Solid-State Controller	N/A	
DRIVETRAIN	Motor Shaft Direct Drive	Automatic, Continuously Variable Transmission (CVT)	
TRANSAXLE	Limited Slip Differential	Differential W/ Helical Gears	
GEAR SELECTION	Forward-Neutral-Reverse Integrated	Forward-Reverse	
REAR AXLE RATIO	16.99:1	11:47:1 (Forward) 14:35:1 (Reverse)	

Unique Group, Unique Individual

PERFORMANCE

KEY SWITCH

SEATING CAPACITY	2-Pas	senger
DRY WEIGHT	565 lb (256.3 kg)	697 lb (316 kg)
CURB WEIGHT	905 lb (410.5 kg)	747 lb (339 kg)
VEHICLE LOAD CAPACITY	800 lb (360 kg)
OUTSIDE CLEARANCE CIRCLE	19.2 ft (5.8 m)	19.0 ft (5.8 m)
SPEED (LEVEL GROUND)	17.5-19.5 mph (28-31 kph)	19.0 mph (31 kph)
TOWING CAPACITY	Three E-Z-GO Golf Cars with	Approved Permanent Tow Bar

STEERING & SUSPENSION

STEERING	Double-Ended Rack and Pinion		
SUSPENSION		Front: Independent A-Arm Coil-Over Shock; Rear: Mono-Leaf Spring With Hydraulic Shocks	
SERVICE BRAKE	Induction Motor	Rear Wheel Mechanical Self-Adjusting Drums	
PARKING BRAKE	Automatic Electro-Magnetic	Self-Compensating, Single Point Engagement	
TIRES	18 x 8.50-8 (4-ply rated)		

BODY & CHASSIS

FRAME	Welded Steel with Powder-Coat Protection	
BODY & FINISH	Injection Molded TPO	
AVAILABLE BODY COLORS	Almond, Black, Electric Blue, Flame Red, Inferno Red, Metallic Charcoal, Ocean Grey, Platinum, White	
AVAILABLE SEAT COLORS	Stone Beige, Black, Oyster	




























Electric Blue Flame Red Inferno Red



